

Volume 1 | 01 | 2025



2025 EXPORT CATALOG



we know how
since 1962

ALFA ALFA ENERGY SA
Bituminous, Chemical & Waterproofing Materials Industry

www.esha.gr | exports@esha.gr



No 1 producer of Bituminous Waterproofing Membranes in Greece

Alfa Alfa Energy S.A. produces and distributes to the Greek market and abroad, under **ESHA™** trademark, a wide range of bituminous, petroleum and other chemical products, for waterproofing, thermal insulation and protection of civil engineering works, as well as for application in road building works.

Founded in 1962 in Aspropyrgos, Attica, Greece, the company has significantly contributed more than 60 years to setting the standards of waterproofing in civil engineering and road building projects. Alfa Alfa Energy S.A. has developed state-of-the-art industrial facilities for the production of waterproofing products.




The industrial complex, along with the company's warehouses and buildings are situated on a wholly owned 15,500 squaremeters landfield.

Our production range includes modified bituminous waterproofing membranes (SBS, APP, Self-Adhesive) with a production capacity of over 9,000,000 squaremeters per year; bituminous emulsions & solutions for protection and waterproofing, rubber-sealing materials, acrylic, epoxy, polyurethane and polysulphide products, elastomeric, plastomeric and modified bituminous products for road construction and bridge-deck insulation.



A. Bituminous Liquid Waterproofing & Primers





1. Bituminous waterproofing emulsions

Product code	Product name	Product description / Main areas of application	Packing	Packing details/ pallet	Custom Code
453		ESHA COAT No 2 Bituminous waterproofing emulsion with bentonite fillers (Conforms with ASTM D -1227) / Concrete waterproofing (vertical or horizontal surfaces). ESHALUMIN recommended use on top, in case of long exposure at uncovered areas.	Plastic pail 18 Kg	42	2715000
462			Barrel 220 Kg	4	2715000
448		ESHA COAT 6 S Bituminous elastomeric waterproofing emulsion, crack bridging abilities (elasticity 180%) / Concrete waterproofing, as vapor barrier, primer for torching bituminous membranes. ESHALUMIN recommended use on top, if exposed to UV.	Plastic pail 17 Kg	42	2715000
458			Barrel 200 Kg	4	2715000
476		ESHA ELASTIC Super elastomeric bituminous waterproofing emulsion (elasticity >1000%), resistant to UV. Excellent Crack bridging abilities/ Flat roofs & balconies waterproofing, Vapor barrier, "wet areas" below tiles waterproofing, bituminous membranes regeneration.	Plastic pail 17 Kg	42	2715000





2. Primers for torching bituminous membranes & glues

422		ESHATOPRIMER Elastomeric - Solvent Less - VOC FREE- Ready to use - Fast drying, bituminous primer (membrane can be torched within 1 hour after application) - for old bituminous membranes regeneration/ Ideal bituminous primer for application with airless gun.	Plastic pail 17 lts	42	2715000
646		ESHALAC 50S High penetration bituminous primer conforms with ASTM D -41 / For torching bituminous membranes, as primer for self adhesive membranes or bituminous sealants.	Metallic pail 1 lt	24 pails per box	2715000
643			Metallic pail 5 lt	144	2715000
644			Metallic pail 18 lt	48	2715000
527		ELASTOMERIC BITUMEN 07 Elastomeric hot applied bituminous adhesive / For pour & roll bituminous membranes applications.	Siliconized carton box 22kg	42	2715000





3. Bituminous waterproofing coatings & pastes

Product code		Product description / Main areas of application	Packing	Packing details/ pallet	Custom Code
630		ESHALUMIN Ready to use solvent based aluminium paint / For protecting bituminous membranes & bituminous painted surfaces against UV, metallic surfaces waterproofing and protection.	Metallic pail 1lt	24 pails per box	2715000
631			Metallic pail 4,5 lt	144	2715000
632			Metallic pail 18 lt	48	2715000
691		ESHA ROOFCOAT No 10 Super elastomeric solvent based primer (elasticity > 1000%) / For torching bituminous membranes.	Mettalic pail 18 lt	48	2715000
694		ESHA ROOFCOAT No 10-B5 ANTIROOT Super elastomeric solvent based primer (elasticity > 1000%) / For ANTIROOT waterproofing applications - refer to product TDS.	Mettalic pail 18 lt	48	2715000
566		ESHAFLEX 2K / EL Two component (2k) bituminous / fibre reinforced cementitious elastomeric paste (1:1 / w:w) / For vertical walls, balconies & "wet areas", balconies.	Sets of 20 Kg (10 kgs + 10 kgs)	27	2715000

4. Road Building bituminous products

1959		ESHAFILL Ready made asphalt mix/ cold applied for pot holes repairing.	Bag 30 kg	50	2715000
1550		ESHALAS 40 Pre fabricated cold applied self adhesive tape SBR modified for road crack sealing.	Carton boxes cont. 2 rollsx10m		2715000
667		ESHASEALER No 164 Hot applied Elastomeric bituminous mastic/sealant for horizontal joints.	Silizonized carton boxes 22 Kg	42	2715000
1301		ESHAPOGRAN Coal tar epoxy 2k/Asphalt cuts /joints repairing at highway asphalt pavements and airport pavement run-ways.	Mettalic pails sets of 5,5 Kg	84	2715000









B. Polymer Liquid Waterproofing

1. Polymer Waterproofing liquids - White reflective color - Solar Reflective Index > 102					
Product Code	Product Photo	Product Description	Packing	Packing details/pallet	Custom Code
315		ESHA ACRYCOAT ACRYLIC - Water based elastomeric white reflective color polymer liquid (elasticity > 450%) for concrete waterproofing.	Plastic pail of 12 Kg	64	32149000
499			Plastic pail of 20 Kg	42	32149000
406		ESHA HYBRID PU EXTENDED ACRYLIC -Water based, elastomeric (elasticity 800%) white reflective color polymer liquid for concrete waterproofing.	Plastic pail of 12 Kg	64	32149000
409			Plastic pail of 25 Kg	42	32149000
10128		ESHADESMOSEAL One component UV stable elastomeric silane based waterproofing liquid with excellent adhesion to most construction materials - Color: Bright White. No need for additional UV protective layer.	Metallic pail of 25 kg	36	32149000
1974		ESHA DESMOLAST PU elastomeric waterproofing liquid - white colored.	Metallic pail of 6 kg	144	32149000
1969			Metallic pail of 23 Kg	36	32149000

2. Polymer Waterproofing liquids - Black color

Product code		Product description	Packing	Packing details/ pallet	Custom Code
		ESHA POLYBLACK One component elastomeric water based bituminous polyurethane waterproofing liquid / Basement walls & foundations waterproofing, "wet areas", balconies.	Plastic pails of 18 kgs	42	2715000
1691		ESHA DESMOBIT 2K PU EXTENDED BITUMEN, 2 component elastomeric liquid black colored (elongation 1000%) liquid fast curing, with crack bridging ability and high elongation and mechanical properties for vertical walls waterproofing & wet areas waterproofing.	Set of 40 lt	24 sets	321490090
3. Primers for Polymer Waterproofing liquids application / reinforcement					
443		DESMOLAST PRIMER PU Solvent based PU 1k primer for polymer liquids application on porous concrete surfaces.	Metallic pail of 5 lt		32149000
444			Metallic pail of 17 lt		32149000
10151		DESMOLAST PRIMER AQUA 2K Epoxy based 2k (3:1 b.w) solvent less primer for polymer liquids application on porous concrete surfaces.	Metallic pail - set of 4 kg		
10150			Metallic pail set of 20 kg		
1779		ESHATERRA 50 Polyester reinforcement for waterproofing liquids - weight 50 gr/m2	Rolls 50m x 1m		56021019

C. Mastics / Sealants

Product code		Product description	Packing details	Packing details/ pallet	Custom Code
1. Bituminous based sealants (1k)					
440		ESHASEALER No1 Cold applied bituminous mastic/ sealant conforms with EN14188-2 / for horizontal & vertical joints & all bituminous waterproofing works.	Sausage 600 ml	15 ss / carton box	2715000
491			Metallic pail 5 Kg	168	2715000
459			Metallic pail 20 Kg	48	2715000
667		ESHASEALER No164 Hot applied Elastomeric bituminous mastic/ sealant conforms with EN14188-1/ for horizontal joints.	Silizonized carton boxes 22kg	42	2715000
2. PU extended bitumen sealants two component (2k)					
1829		ESHAPOLYPHALT Cold applied self levelling 2K elastomeric 1:1 (v:v) sealant conforms with EN14188-2 can accommodate joint movement $\geq 25\%$ / for horizontal joints.	Metallic pails -Sets 40 Kg	24 sets	
3. PU based sealants (1k & 2k)					
1302		ESHAPOLYSEAL (A+B) Elastomeric (elasticity $>70\%$) PU self leveling 2k sealant conforms with EN14188-2 & FS SS 200D can accommodate joint movement $\geq 25\%$ /for horizontal joints - Professional use.	Metallic pails - sets 4,5 Kg	168	
1303			Metallic pails / sets of 13,2 Kg	50	
442		ESHAPOLYSEAL 1K Elastomeric (elasticity $>70\%$) PU sealant (1k) conforms with EN14188-2/ for horizontal & vertical joints .	Sausages of 600 ml	15ss / carton box	
4. Acrylic based sealants					
441		ESHASEALACRYL Acrylic elastomeric sealant conforms with EN14188-2 with excellent crack bridging properties / for horizontal or vertical joints. Crack filler for walls renovation.	Sausages of 600 ml	15 ss/ carton box	
1591				168	
10119				48	
5. Polysulphide based sealants (2k)					
1304		ESHATHIOSEAL (A+B) Polysulphide elastomeric (elasticity $> 70\%$) 2k conforms with EN14188-2 - accomodates joint movement $> 25\%$, for vertical or horizontal joints.	Metallic pail 5 Kg	168	
1331		ESHATHIOSEAL 200 E Polysulphide elastomeric 2k -self levelling kerosene resistant conforming with FS SS S 200 E / for horizontal joints- Professional use (airports parking lots, refineries e.t.c.).	Metallic pails / sets of 48 Kg	168	



D. Elastomeric Bituminous Waterproofing Membranes

1. ESHA DIEM®: SBS Modified-Low temperature flexibility at -20°C, Bituminous binder elastic recovery ≥90%

Product code	Membrane weight (kg/m ²)	Reinforcement	Upper surface finish	Packing details	Packing details/ rolls per pallet	Custom Code
3566	4,0	High dimensional stability polyester	PE Film	rolls 1m x 10m	25	68071000
3580	5,0			rolls 1m x 10m	25	68071000
3039	4,0		Gray Green colored mineral granules	rolls 1m x 10m	25	68071000
3759	4,5			rolls 1m x 10m	25	68071000
3760	5,0			rolls 1m x 10m	25	68071000
3045	6,0			rolls 1m x 8m	25	68071000
3040	4,0		White colored mineral granules	rolls 1m x 10m	25	68071000
3581	4,5			rolls 1m x 10m	25	68071000
3582	5,0			rolls 1m x 10m	25	68071000
3047	6,0			rolls 1m x 8m	25	68071000
3576	4,0		Reflective Aluminium foil 60 µm thickness-SRI>95	rolls 1m x 10m	25	68071000

2. ESHA ELASTAN S®:SBS Modified-Low temperature flexibility at -20°C, Bituminous binder elastic recovery ≥80%

Product code	Membrane weight (kg/m ²)	Reinforcement	Upper surface finish	Packing details	Packing details/pallet	Custom Code
5570	4,0	Polyester	PE Film	rolls 1m x 10m	25	68071000
5580	5,0			rolls 1m x 10m	25	68071000
5592	5,0		White colored mineral granules	rolls 1m x 8m	25	68071000
5593	6,0			rolls 1m x 8m	25	68071000

3. ESHA ELASTAN®: SBS Modified-Low temperature flexibility at -15°C, Bituminous binder elastic recovery ≥80%

5539	4,0	Polyester	PE Film	rolls 1m x 10m	25	68071000
5544	4,5		Gray Green colored mineral granules	rolls 1m x 10m	25	68071000
5545	5,0			rolls 1m x 10m	25	68071000
5547	6,0			rolls 1m x 8m	25	68071000
5550	5,0		White colored mineral granules	rolls 1m x 10m	25	68071000
5560	6,0			rolls 1m x 8m	25	68071000

4. ESHA FIN®: SBS Modified-Low temperature flexibility at -10°C, Bituminous binder elastic recovery ≥80%

5731	3,0	Combined polyester/glassmat	PE Film	rolls 1m x 10m	35	68071000
5733	4,0			rolls 1m x 10m	30	68071000
5704	4,5		Gray green colored mineral granules	rolls 1m x 10m	25	68071000
5715	5,0		White colored mineral granules	rolls 1m x 10m	25	68071000
5723	4,0		Reflective Aluminium foil 60 µm thickness SRI> 95	rolls 1m x 10m	25	68071000

E. PLASTOMERIC Bituminous Waterproofing Membranes

1. ESHA GUM®: APP Modified-Low temperature flexibility at -10°C

Product code	Membrane weight (kg/m ²)	Reinforcement	Upper surface finish	Packing details	Packing details/pallet	Custom Code
4566	4,0	High dimensional stability polyester	PE Film	rolls 1m x 10m	25	68071000
4557	4,5		Gray Green colored mineral granules	rolls 1m x 10m	25	68071000
4559	5,0			rolls 1m x 10m	25	68071000

2. ESHAGUM ANTIROOT B5: Root resistant torchable bituminous waterproofing membranes with PREVENTOL B5 antirroot substance passes LUPINE TEST (DIN 4062)

4570	4,2	High dimensional stability polyester	PE Film	rolls 1m x 10m	25	68071000
------	-----	--------------------------------------	---------	----------------	----	----------

3. ESHAGUM SP FR: Fire resistant TPO modified waterproofing membrane copolymerized with with fire / smoke resistant additives


4467	4,0	High dimensional stability polyester	PE Film	rolls 1m x 10m	25	68071000
------	-----	--------------------------------------	---------	----------------	----	----------


4. ESHA PROOF®: APP Modified-Low temperature flexibility at -7°C

4600	4,0	Polyester	PE Film	rolls 1m x 10m	25	68071000
4908	4,5	SP Polyester		rolls 1m x 10m	25	68071000
4606	4,0	Polyester	Gray Green colored mineral granules	rolls 1m x 10m	30	68071000
4607	4,5			rolls 1m x 10m	25	68071000
4902	5,0			rolls 1m x 10m	25	68071000
4609	4,5	Polyester	White colored mineral granules	rolls 1m x 10m	25	68071000
4920	5,0			rolls 1m x 10m	25	68071000

5. ESHA DURO®: APP Modified-Low temperature flexibility at -5°C

Product code	Membrane weight (kg/m ²)	Reinforcement	Upper surface finish	Packing details	Packing details/ pallet		
5314	2,5	Glass Fleece	PE Film	rolls 1m x 10m	42	68071000	
5295	3,0			rolls 1m x 10m	36	68071000	
5296	4,0			rolls 1m x 10m	30	68071000	
5299	4,5			rolls 1m x 10m	25	68071000	
5285	5,0			rolls 1m x 10m	25	68071000	
5297	4,0		Combined polyester/glassmat	Gray Green colored mineral granules	rolls 1m x 10m	25	68071000
5298	4,5				rolls 1m x 10m	25	68071000
5291	5,0				rolls 1m x 10m	25	68071000
5286	4,5			White colored mineral granules	rolls 1m x 10m	25	68071000
5289	5,0				rolls 1m x 10m	25	68071000
5287	4,0	Red Brown colored mineral granules		rolls 1m x 10m	25	68071000	
5304	4,5		rolls 1m x 10m	25	68071000		





F. COOL ROOF SBS Modified bituminous waterproofing membranes

Product code	Membrane thickness (mm)	Product name	Product description	Packing details	Packing details	Custom Code
3550	3,5	ESHADIEN ULTRA WHITE	SBS modified elastomeric membrane applied with torch & hot air equipment with Ultra White reinforced 3- laminate polymer top finish- SRI > 87 , total membrane weight 3,5 mm	rolls 1m x 10m	25	68071000
3940	2,0	ESHASTICK ULTRA WHITE	SBS modified / Self adhesive elastomeric membrane with Ultra White reinforced 3- laminate polymer top finish - SRI > 87 , total membrane weight 2,0 mm	rolls 1m x 20m	30	68071000

G. Vapor Control Membranes

2130	1,1	ESHAPERFO	Perforated bituminous membrane glass fleece reinforced (PE film both sides). Application by free laying on primed concrete substrate. Rolls 1m X 20 m	1,1	33	68071000
3120	3,0	ESHAVENT	Self adhesive perforated bituminous membrane glass fleece bottom side. Application on primed substrate. Rolls 1m X 10m	3,0	25	68071000

H. Absolute Vapor Barrier membrane

5792	3,0	ESHA FIN SANDWICH	SBS elastomeric bituminous membranes (low T flexibility at -10o C) aluminium/glass fleece reinforced. Rolls dimensions 1m X 10 m	rolls 1m x 10m	25	68071000
------	-----	------------------------------	--	----------------	----	----------

I. High Overload Pressure membrane for under ground constructions waterproofing

2596	4,0	ESHAGEO	APP plastomeric membrane designed for foundations waterproofing and/or where high overload pressure is expected. Upper membrane finish with Non woven high strength Polyester Geotextile	rolls 1m x 8m	25	68071000
------	-----	----------------	--	---------------	----	----------

J. Bridge Deck torchable bituminous waterproofing membranes

4581	5,0	ESHAGUM SP250	Bridge deck waterproofing membranes fully conforming with EN 14695:2010 and EN 14692-2 for direct hot asphalt compaction on the membrane surface.	rolls 1m x 8m	25	68071000
4580	4,0			rolls 1m x 8m	25	68071000



K. SELF ADHESIVE waterproofing membranes ESHASTICK®


Product code	Product name	Reinforcement	Upper/Bottom finish	Packing details	Custom Code
3983	ESHASTICK 3000-X	glass fleece	High strength Cross linked H.D.P.E. film	rolls 1m x 20m	68071000
3981	ESHASTICK ALPES		Polyester reinforced aluminium foil	rolls 1m x 20m	68071000
3906	ESHASTICK P-AR		Paintable woven PP geotextile	rolls 1m x 20m	68071000
3940	ESHASTICK ULTRA WHITE		Three laminat- ed reinforced ULTRA WHITE REFLECTIVE polymer foil	rolls 1m x 20m	68071000
3958	ESHASTICK P-P		Torchable PE film	rolls 1m x 10m	68071000
3985	ESHASTICK P-G (G)		polyester	Mineral granules GRAY GREEN color	rolls 1m x 10m
3985,1	ESHASTICK P-G (W)	Mineral granules WHITE color		rolls 1m x 10m	68071000
3985	ESHASTICK P-AL	Highly reflective Aluminium foil 60 µm thickness		rolls 1m x 10m	68071000



ESHASTICK 3000-X



ESHASTICK ALPES



ESHASTICK P-AR



ESHASTICK ULTRA WHITE



ESHASTICK P-P




ESHASTICK P-G



ESHASTICK P-AL



L. SELF ADHESIVE Bituminous tapes ESHATAPE®

Product code	Product description	Roll size	Unit	Rolls per carton box	Custom Code
1564	Thickness 1,2mm - bottom side removable PE film / upper side finish natural aluminum color	0,10 X 10 m	m	12	68071000
1565		0,20 X 10 m	m	4	68071000
1566		0,30 X 10 m	m	4	68071000
1573	Thickness 1,2mm - bottom side removable PE film / upper side finish red/brown painted aluminum color	0,10 X 10 m	m	12	68071000
1574		0,20 X 10 m	m	4	68071000
1575		0,30 X 10 m	m	4	68071000




M. UNDER TILE waterproofing membranes ESHA ROOF®



1. Bituminous undertile membranes - Light weight

Product code	Product photo	Product name	Upper & Bottom Finish	Packing details	Packing details/pallet	Custom Code
2560		ESHAROOF P-P	Upper: PE Film Bottom: PE film. Weight 800 gr/m ²	rolls 1m x 30m	36	68071000
2602		ESHAROOF FELT	Upper: Non woven PP geotextile Bottom: Non Woven PP geotextile Weight 850 gr/m ²	rolls 1m x 30m	36	68071000


2. Heat Reflective / heavy weight bituminous under tile waterproofing membranes

2975		ESHAROOF REFLECT	Heat reflective elastomeric bituminous membrane upper finish heat reflective finish aluminum foil . Weight 1,8 kg/m ²	rolls 1m x 20m	30	68071000
------	--	------------------	---	-------------------	----	----------

3. Heat Reflective bubble film under tile membranes

12600		KATOPTRON S	Heat reflective bubble film (one layer) upper / bottom finish natural Aluminium Foil	rolls 1,2m x 40m	6	39232990
12601		KATOPTRON 2D	Heat reflective bubble film (two layers) upper / bottom finish natural Aluminium Foil	rolls 1,2m x 40m	6	39232990

4. Breathable polypropylene type membranes

1835		ESHADACH 95	Weight 95 gr/m ²	rolls 1,5m x 50 m	50	56031490
1901		ESHADACH 150	Weight 150 gr/m ² - reinforced		30	56031490
1900		ESHADACH 170	Weight 170 gr/m ²		30	56031490

N. Extruded Polystyrene (XPS) Thermal Insulation Boards MARSIPUS®

Product Code	Product name	Product description	Board dimensions (mm)	Board thickness (mm)	Packing details			Custom Code
					Boards/ Pack	m ² / Pack	m ³ / Pack	
1857	MARSIPUS RF	Terraces thermal insulation	1250 X 600	30	14	10,50	0,315	39211100
1858				40	10	7,50	0,300	39211100
1859				50	8	6,00	0,300	39211100
1860				60	7	5,25	0,315	39211100
1861				70	6	4,50	0,315	39211100
1862				80	5	3,75	0,300	39211100
1863				100	4	3,00	0,300	39211100
10104	MARSIPUS WRS	External Walls thermal insulation - Straight edges	1250 X 600	50	8	6,00	0,300	39211100
10105				60	7	5,25	0,315	39211100
10106				70	6	4,50	0,315	39211100
10107				80	5	3,75	0,300	39211100
1871	MARSIPUS WL	Double walls thermal insulation.	2.500 x 600	30	14	21,00	0,630	39211100
1872				40	10	15,00	0,600	39211100
1873				50	8	12,00	0,600	39211100
1874				60	7	10,50	0,630	39211100
1875				70	6	9,00	0,630	39211100
1962				80	5	7,50	0,600	39211100
1851	MARSIPUS ST	External insulation (also available in 1250 X 600 mm)	2500 X 600	30	14	21,00	0,630	39211100
1852				40	10	15,00	0,600	39211100
1853				50	8	12,00	0,600	39211100
1963				60	7	10,50	0,630	39211100
1854				70	6	9,00	0,630	39211100
1964				80	5	7,50	0,600	39211100

O. H.D.P.E. Drainage membranes

Product Code	Product name	Product description	Packing details	Packing details/pallet	Custom Code
1745	ESHADRAIN 500	HDPE drainage membrane dimple height 7,5 mm, weight 500gr/m ² .	rolls 2,0m x 20,0m	12	39201089
10325	E-400	HDPE drainage membrane , weight 400gr/m ² .	rolls 2,0m x 20,0m	12	39201089
1746	ESHADRAIN GEO	HDPE drainage membrane dimple height 7,5 mm, weight 500gr/m ² with polypropylene geotextile on one side	rolls 2,1m x 28,0m	6	39201089


Q. Polyester non woven Geotextiles


10400	DTF - 150	Weight 150 gr/m ²	rolls 2m x 100m		39201089
10401	DTF -200	Weight 200 gr/m ²	rolls 2m x 100m		39201089
10402	DTF-300	Weight 300 gr/m ²	rolls 2m x 100m		39201089
10403	DTF - 400	Weight 400 gr/m ²	rolls 2m x 70m		39201089
1756	DTF -500	Weight 500 gr/m ²	rolls 2m x 60m		39201089

R. Expanding bentonite & PVC waterstops

10121	ESHA HYDROBENT	Expanding bentonite water stop / not for saline water enviroment	25 x 19 mm	6 rolls per carton box	32141010
1622	WATERSTOP E.I.	PVC waterstop with center valve - internal joints	24 cm x 25 m	12 rolls / pallet	
1624	WATERSTOP E.E.	PVC waterstop with center valve - external joints	24 cm x 25 m	12 rolls / pallet	
1628	WATERSTOP C.I.	PVC waterstop without center valve-internal joints	24 cm x 25 m	12 rolls / pallet	
1630	WATERSTOP C.E.	PVC waterstop without center valve - external joints	24 cm x 25 m	12 rolls / pallet	







ALFA ALFA ENERGY SA

Bituminous, Chemical & Waterproofing Materials Industry

LOADING POINT

PARALIA ASPROPYRGOU, 19300 ASPROPYRGOS, ATTICA, GREECE

T. +30 210 5518700

E. exports@esha.gr

W. www.esha.gr

BANK ACCOUNTS (IBAN)

NBG: GR 340 110 200 00000 2004 700 5036

ALPHA BANK: GR 040 140 1680 1680 0200 2000 380

PIRAEUS BANK: GR 50 0171 0170 0060 1704 0050 550

we know how
since 1962



www.esha.gr

ALFA ALFA ENERGY SA

Bituminous, Chemical & Waterproofing Materials Industry

Attica, Greece | Central Factory headquarters
Paralia Aspropyrgou, 19300 Aspropirgos
Tel: +30 210-5518700
Email: info@esha.gr

Thessaloniki | Office - Warehouse
18 Hpeirou St. 57009 Kalochori
Thessaloniki
Tel: +30 2310 783725

Sofia | Office, Bulgaria
162 Prof. Tzv. Lazarov Str., Druzha 2
1582 Sofia, Bulgaria
Tel: +359 29791119 | Email: info@esha.bg